

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.05.2024

Version number 2 (replaces version 1)

Revision: 17.04.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: **weber Elastikkitt**

Safety data sheet no.: XXP006138

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Ready-to-use mortar

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SAINT-GOBAIN Austria GmbH

Branch office Vienna

Unterkainisch 24

8990 Bad Aussee

Tel.: +43 1 66150-0

SDS@saint-gobain.com

1.4 Emergency telephone number:

Vergiftungsinformationszentrale Wien

Tel. +43 / 1 / 406 43 43

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05 GHS07

Signal word Danger

Hazard-determining components of labelling:

cement portland, grey

Poly[oxy(methyl-1,2-ethanediyl)],alpha-(methylphenyl)-omega-hydroxy-2-methyl-2H-isothiazol-3-one

(Contd. on page 2)

EUG

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.05.2024

Version number 2 (replaces version 1)

Revision: 17.04.2023

Trade name: weber Elastikkitt

(Contd. of page 1)

reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)
1,2-benzisothiazol-3(2H)-one

Hazard statements

H315 Causes skin irritation.
H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352 IF ON SKIN: Wash with plenty of water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P361+P364 Take off immediately all contaminated clothing and wash it before reuse.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

Information according to the Biocidal Products Regulation (EU) 528/2012: this product contains a biocidal product.

Active substance for preservation during storage: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) (CAS no.: 55965-84-9)

2.3 Other hazards
Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.
vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture consisting of the following components.

Dangerous components:

CAS: 1317-65-3 EINECS: 215-279-6 Reg.nr.: 01-2119486795-18-xxxx	calcium carbonate substance with a Community workplace exposure limit	25-50%
CAS: 65997-15-1 EINECS: 266-043-4	cement portland, grey ⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335, EUH203 Specific concentration limits: Skin Irrit. 2;H315: C ≥ 1 % Eye Dam. 1; H318: C ≥ 1 %	1-2%
CAS: 9004-34-6 EINECS: 232-674-9	Cellulose substance with a Community workplace exposure limit	0.1-1%

(Contd. on page 3)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.05.2024

Version number 2 (replaces version 1)

Revision: 17.04.2023

Trade name: weber Elastikkitt

(Contd. of page 2)

CAS: 9064-13-5 EC number: 618-605-9	Poly[oxy(methyl-1,2-ethanediyl)],alpha-(methylphenyl)-omega-hydroxy- ⚠ Skin Sens. 1, H317	1%
CAS: 2682-20-4 EINECS: 220-239-6 Index number: 613-326-00-9 Reg.nr.: 01-2120764690-50-xxxx	2-methyl-2H-isothiazol-3-one ⚠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); ⚠ Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A;H317: C ≥ 0.0015 %	≥0.0015-<0.025%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60-xxxx	1,2-benzisothiazol-3(2H)-one ⚠ Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=1); ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1;H317: C ≥ 0.05 %	<0.05%
CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5	reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one [EC no. 247-500-7] and 2- methyl-2H-isothiazol-3- one [EC no. 220-239- 6] (3:1) ⚠ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ⚠ Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); ⚠ Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C;H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.00025-<0.0015%

SVHC Void

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Never administer anything by mouth to an unconscious person.

If unconscious, place the patient in a stable side position and consult a doctor

Immediately remove any clothing soiled by the product.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact

Remove contaminated gloves, clothing, footwear or other items and wash thoroughly before re-use.

Immediately rinse with water.

If skin irritation continues, consult a doctor.

After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse liquid should be tempered (20-30°C).

(Contd. on page 4)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.05.2024

Version number 2 (replaces version 1)

Revision: 17.04.2023

Trade name: weber Elastikkitt

(Contd. of page 3)

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

Irritation of the eye tissue, watery eyes

Irritation of the skin

This powder (wet or dry) may cause irritation or potentially irreversible serious injury on contact with the eyes. Prolonged contact with moist skin (due to e.g. sweat or humidity) can cause skin irritation.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

The product is not combustible.

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

Remove the unprotected persons from the area.

Wear fully protective suit.

Mouth respiratory protective device.

Use methods suitable to surrounding conditions.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid contact with skin and eyes.

Mouth respiratory protective device.

Ensure adequate ventilation.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Collect liquid with absorbent material (sand / kieselguhr). Collect in a closed container.

Dispose of contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 13 for disposal information.

No dangerous substances are released.

EUG

(Contd. on page 5)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.05.2024

Version number 2 (replaces version 1)

Revision: 17.04.2023

Trade name: weber Elastikkitt

(Contd. of page 4)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes.

Ensure good ventilation/exhaustion at the workplace.

Store in cool, dry place in tightly closed receptacles.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs		
CAS: 1317-65-3 calcium carbonate		
Oral	Derived No Effect Level	6.1 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	6.36 mg/m ³ (worker local long term value) 1.06 mg/m ³ (consumer local long term value)
CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one		
Oral	Derived No Effect Level	0.027 mg/kgxday (consumer local long term value)
Inhalative	Derived No Effect Level	0.043 mg/m ³ (worker local short term value) 0.021 mg/m ³ (worker local long term value) 0.021 mg/m ³ (consumer local long term value) 0.043 mg/m ³ (consumer local short term value)
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one		
Dermal	Derived No Effect Level	0.966 mg/kgxday (worker systemic long term value) 0.345 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	6.81 mg/m ³ (worker systemic long term value) 1.2 mg/m ³ (consumer systemic long term value)
CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)		
Oral	Derived No Effect Level	0.09 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	0.02 mg/m ³ (worker local long term value) 0.02 mg/m ³ (consumer local long term value)
PNECs		
CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one		
Predicted No-Effect Concentration		0.0471 mg/kgxdwt (earth rating factor)

(Contd. on page 6)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.05.2024

Version number 2 (replaces version 1)

Revision: 17.04.2023

Trade name: weber Elastikkitt

(Contd. of page 5)

Predicted No-Effect Concentration	0.00339 mg/l (sea water rating factor) 0.00339 mg/l (fresh water rating factor)
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one	
Predicted No-Effect Concentration	3 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration	0.000403 mg/l (sea water rating factor) 0.00403 mg/l (fresh water rating factor)
CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	
Predicted No-Effect Concentration	0.01 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration	0.00339 mg/l (sea water rating factor) 0.00339 mg/l (fresh water rating factor)
CAS No. / Designation of material / % / Type / Value / Unit	
CAS: 1317-65-3 calcium carbonate	
TWA (Italy)	Long-term value: 10 mg/m ³ (e)
CAS: 65997-15-1 cement portland, grey	
AGW (Germany)	Long-term value: 5 E mg/m ³ DFG
LEP (Spain)	Long-term value: 4 mg/m ³ fracción respirable: e, d
TWA (Italy)	Long-term value: 1 mg/m ³ (e, j), A4
VLE (Portugal)	Long-term value: 1 mg/m ³ Fração resp.;A4,função pulm.,sintomas resp.,asma
HTP (Finland)	Long-term value: 5* 1** mg/m ³ *hengittävä pöly, **alveolijae
CAS: 9004-34-6 Cellulose	
LEP (Spain)	Long-term value: 10 mg/m ³
TWA (Italy)	Long-term value: 10 mg/m ³
VLE (Portugal)	Long-term value: 10 mg/m ³ Irritação do TRS
CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one	
MAK (Germany)	vgl. Abschn. IIb und Xc
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one	
MAK (Germany)	vgl. Abschn. IIb und Xc
CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	
MAK (Germany)	Long-term value: 0.2E mg/m ³ vgl. Abschn. Xc

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

(Contd. on page 7)

EUG

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.05.2024

Version number 2 (replaces version 1)

Revision: 17.04.2023

Trade name: weber Elastikkitt

(Contd. of page 6)

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.

Hand protection Protective gloves against chemicals (standard EN 374-1)

Material of gloves

Nitrile impregnated cotton gloves complying with the standard EN 374-1.

Butyl rubber, BR

Nitrile rubber, NBR

Eye/face protection

Protective eyewear (standard EN 166)

Tightly sealed goggles

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Colour: According to product specification

Odour: Uncharacteristic.

Odour threshold: Not determined.

Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling range Not applicable

Lower and upper explosion limit

Lower: Not determined.

Upper: Not determined.

Flash point: Not applicable

Decomposition temperature: Not determined.

pH Not determined.

Viscosity:

Kinematic viscosity Not determined.

dynamic: Not determined.

Solubility

Water: Partly miscible

Vapour pressure: Not determined.

Density and/or relative density

Density: Not determined

Bulk density: Not applicable.

9.2 Other information

Appearance: None.

Form: Pasty

Important information on protection of health and environment, and on safety.

Ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

Minimum ignition energy

Solvent separation test: Not determined

(Contd. on page 8)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.05.2024

Version number 2 (replaces version 1)

Revision: 17.04.2023

Trade name: weber Elastikkitt

(Contd. of page 7)

Change in condition	
Softening point/range	
Oxidising properties	Not determined.
Evaporation rate	Not determined.

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity Not reactive under normal conditions of use

10.2 Chemical stability
Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Components	/	Type	/	Value	/	Species
Aqueous dispersion of a polymer based on: acrylic acid ester, acrylonitrile						
Oral		LD50		>2,000-10,000 mg/kg		(Rat)
CAS: 1317-65-3 calcium carbonate						
Oral		LD50		>2,000 mg/kg		(Rat)

(Contd. on page 9)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.05.2024

Version number 2 (replaces version 1)

Revision: 17.04.2023

Trade name: weber Elastikkitt

(Contd. of page 8)

Dermal	LD50	>2,000 mg/kg (Rat)
CAS: 65997-15-1 cement portland, grey		
Dermal	LD50	>2,000 mg/kg (Rabbit)
CAS: 9064-13-5 Poly[oxy(methyl-1,2-ethanediy)],alpha-(methylphenyl)-omega-hydroxy-		
Oral	LD50	>2,000 mg/kg (Rat)
CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one		
Oral	LD50	120 mg/kg (Rat)
Dermal	LD50	242 mg/kg (Rat)
Inhalative	LC50/4 h	0.34 mg/l (Rat)
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one		
Oral	LD50	>490 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rat)
CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)		
Oral	LD50	457 mg/kg (Rat)
Dermal	LD50	660 mg/kg (Rabbit)
Inhalative	LC50/4 h	2.36 mg/l (Rat)

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Type of test / Effective concentration / Method / Assessment

Aqueous dispersion of a polymer based on: acrylic acid ester, acrylonitrile

LC50/96h >100 mg/l (Brachydanio rerio (zebra danio))

EC50/48h >100 mg/l (Daphnia magna)

EC50/72h >100 mg/l (Scenedesmus subspicatus (Algae))

CAS: 1317-65-3 calcium carbonate

LC50/96h >100 mg/l (Fish)

EC50/48h >100 mg/l (aquatic invertebrates)

EC50/72h >14 mg/l (aquatic algae and cyanobacteria)

(Contd. on page 10)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.05.2024

Version number 2 (replaces version 1)

Revision: 17.04.2023

Trade name: weber Elastikkitt

(Contd. of page 9)

CAS: 9064-13-5 Poly[oxy(methyl-1,2-ethanediyl)],alpha-(methylphenyl)-omega-hydroxy-

LC50/96h	10-100 mg/l (Brachydanio rerio (zebra danio))
EC50/72h	>100 mg/l (Selenastrum capricornutum (Green algae))

CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one

LC50/48h	0.934 mg/l (aquatic invertebrates)
	6.2 mg/l (Fish)
LC50/24h	7.3 mg/l (Fish)
LC50/96h	1.81 mg/l (aquatic invertebrates)
	4.77 mg/l (Fish)
EC50/24h	0.445 mg/l (aquatic algae and cyanobacteria)
	1.7 mg/l (aquatic invertebrates)
EC50/48h	1.6 mg/l (aquatic invertebrates)
EC50/96h	0.0725 mg/l (aquatic algae and cyanobacteria)
NOEC (21d)	0.042 mg/l (aquatic invertebrates)
EC 10/16h	1 mg/l (microorganisms)

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

LC50/96h	2.2 mg/l (Fish)
EC50/16h	0.4 mg/l (Pseudomonas putida (Bacteria))
EC50/48h	2.9 mg/l (aquatic invertebrates)
EC50/72h	0.11 mg/l (aquatic algae and cyanobacteria)
	0.067 mg/l (Pseudomonas putida (Bacteria))
NOEC (72h)	0.0403 mg/l (aquatic algae and cyanobacteria)

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

LC50/48h	0.18 mg/l (Daphnia magna)
LC50/96h	0.282 mg/l (Daphnia magna)
	0.19-0.3 mg/l (Fish)
EC50/24h	0.109 mg/l (Daphnia magna)
	0.0107 mg/l (aquatic algae and cyanobacteria)
EC50/48h	0.16 mg/l (Daphnia magna)
	0.0181-0.0371 mg/l (aquatic algae and cyanobacteria)
EC50/96h	0.0357 mg/l (aquatic algae and cyanobacteria)
EC50/72h	0.0063-0.0273 mg/l (aquatic algae and cyanobacteria)
NOEC (14d)	0.035 mg/l (Daphnia magna)
NOEC (21d)	0.011-1.05 mg/l (Daphnia magna)
NOEC (28d)	0.098 mg/l (Fish)

12.2 Persistence and degradability No further relevant information available.

Method
CAS: 1317-65-3 calcium carbonate

Biod. (28 days)	>90 %
-----------------	-------

(Contd. on page 11)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.05.2024

Version number 2 (replaces version 1)

Revision: 17.04.2023

Trade name: weber Elastikkitt

(Contd. of page 10)

12.3 Bioaccumulative potential
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

EBAB | 0.7 log Pow

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

EBAB | 0.75 log Pow

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment
PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.

Remark: The product contains substances which are toxic to fishes and bacteria.

Behaviour in sewage processing plants:
Type of test / Effective concentration / Method / Assessment
CAS: 1317-65-3 calcium carbonate

EC 50 (3h) | >1,000 mg/l (microorganisms)

CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one

EC 50 (3h) | 41 mg/l (microorganisms)

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

EC 50 (3h) | 10.3 mg/l (microorganisms)

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

EC 50 (3h) | 4.5 mg/l (microorganisms)

Additional ecological information:
General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods
Recommendation

Dispose of the product in accordance with national and local regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

10 13 11	wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10
----------	--

10 13 14	waste concrete and concrete sludge
----------	------------------------------------

Uncleaned packaging:
Recommendation: Disposal must be made according to official regulations.

EUG

(Contd. on page 12)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.05.2024

Version number 2 (replaces version 1)

Revision: 17.04.2023

Trade name: weber Elastikkitt

(Contd. of page 11)

SECTION 14: Transport information

14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es) ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII

The marketing and use of cement is subject to a restriction on the content of soluble Cr (VI) (REACH Annex XVII Entry no. 47 Chromium VI compounds)

Conditions of restriction: 3, 47

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 13)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.05.2024

Version number 2 (replaces version 1)

Revision: 17.04.2023

Trade name: weber Elastikkitt

(Contd. of page 12)

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.
- EUH203 Contains chromium (VI). May produce an allergic reaction.

Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation Serious eye damage/irritation Skin sensitisation	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
--	--

Department issuing SDS: Quality control

Contact:

Thomas Kreuzer
 +43 1 66150-0
 SDS@saint-gobain.com

Date of previous version: 16.07.2013

Version number of previous version: 1

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 14)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 21.05.2024

Version number 2 (replaces version 1)

Revision: 17.04.2023

Trade name: weber Elastikkitt

(Contd. of page 13)

IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
 ICAO: International Civil Aviation Organisation
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 DNEL: Derived No-Effect Level (REACH)
 PNEC: Predicted No-Effect Concentration (REACH)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 SVHC: Substances of Very High Concern (REACH regulation)
 vPvB: very Persistent and very Bioaccumulative
 Acute Tox. 3: Acute toxicity – Category 3
 Acute Tox. 4: Acute toxicity – Category 4
 Acute Tox. 2: Acute toxicity – Category 2
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B
 Skin Corr. 1C: Skin corrosion/irritation – Category 1C
 Skin Irrit. 2: Skin corrosion/irritation – Category 2
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 Skin Sens. 1: Skin sensitisation – Category 1
 Skin Sens. 1A: Skin sensitisation – Category 1A
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

*** Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.